


Elevating the Art of Architecture. _____



Premium Railing & Partition Systems.



Decorative Partition



Arch Line Partition



Arch Glass Partition



Arch Elegance Partition



Circle Frame Screen



Art Panel Partition



Arch Line Divider

Marble Lux Partition



Glass Line Divider



Curve Stone Partition



Gold Fin Screen



Diagonal Line Screen



Floating Reeded Screen



Linear Frame Divider



Arc Edge Partition



VertiRod Partition



Matt Wave Screen



Diamond Cut Divider



Diamond Grid Screen



Heritage Series Railing Systems



Monoline Railing



Vertex Curve Railing




Vertex Frame Railing

GeoBlock Railing

Stainless Steel Railing Systems



Key Features of S&V Railing Systems



Precision-Engineered
Modular Systems:
**Zero onsite Welding
Requir**




Low-Operational
Maintenance




High-Standard, Budget
Optimized Alternatives
to Field Fabrication



Aesthetically Appealing
Due to **Non-corrosive
Stainless Steel**



Stainless Steel: The
Eco-Friendly Value
Leader.



1.5mm Metal Thickness



Ultra-Hygienic Design
Optimized for clinical
and laboratory settings.



Uncompromising
strength starts with a
high-quality anchor.



| SPIGOTS


Top Mounted Flat Baluster With Glass - 10X50



Glass Thickness 12 & 12.89




Railing Usage Medium



All Sizes are Mentioned In MM

Code	Grade	Height
• S6-SP-T-FL5035-G12-ST-325	S.S. 316	325
• S4-SP-T-FL5035-G12-ST-325	S.S. 304	325
• S6-SP-T-FL5035-G12-ST-210	S.S. 316	210
• S4-SP-T-FL5035-G12-ST-210	S.S. 304	210
• S6-SP-T-FL4040-G12-ST-125	S.S. 316	125
• S4-SP-T-FL4040-G12-ST-125	S.S. 304	125

● Available in Satin Finish



| SIDE SPACERS


Side Mounted Spacer system With Glass



Glass Thickness 12 To 17.52



Railing Usage Medium



Code	Grade	Size
• S6-SP-S-RO38-GLS-ST-50	S.S. 316	Ø38
• S4-SP-S-RO38-GLS-ST-50	S.S. 304	Ø38
• S6-SP-S-RO50-GLS-ST-50	S.S. 316	Ø50
• S4-SP-S-RO50-GLS-ST-50	S.S. 304	Ø50

All Sizes are Mentioned In MM

● Available in Satin Finish



| SIDE BRACKET


| Side Bracket System with Glass



Glass Thickness 12 To 17.52




Railing Usage Medium



Code	Grade	Height
• S6-BR-S-C-ST-180	S.S. 316	180
• S4-BR-S-C-ST-180	S.S. 304	180

All Sizes are Mentioned In MM

● Available in Satin Finish



SHORT SQUARE BALUSTER

Top Mounted Short Square Baluster System With Glass



Glass Thickness 12 To 17.52



Railing Usage Medium

Code	Grade	Height
• S6-SB-T-SQ4040-GLS-ST-450	S.S. 316	450
• S4-SB-T-SQ4040-GLS-ST-450	S.S. 304	450

All Sizes are Mentioned In MM

● Available in Satin Finish



SHORT FLAT BALUSTER


Top Mounted Short Flat Baluster
System With Glass



Glass Thickness 12 To 17.52



Railing Usage Medium



Code	Grade	Height
• S6-SB-T-FL1050-GLS-ST-450	S.S. 316	450
• S4-SB-T-FL1050-GLS-ST-450	S.S. 304	450

All Sizes are Mentioned In MM

● Available in Satin Finish



TOP BRACKET


Top Bracket to Hold Glass



Glass Thickness 12 To 17.52



Railing Usage Medium



Code	Grade	Size
• S6-BR-G-GLS-ST	S.S. 316	-
• S4-BR-G-GLS-ST	S.S. 304	-

All Sizes are Mentioned In MM

● Available in Satin Finish



ROUND BALUSTER WITH GLASS


Top Mounted Round Baluster System With Glass



Glass Thickness 12 To 17.52



Railing Usage Light & Medium



All Sizes are Mentioned In MM

Code	Grade	Size
• S6-BA-T1-RO38-GLS-ST-877	S.S. 316	Ø38
• S4-BA-T1-RO38-GLS-ST-877	S.S. 304	Ø38
• S6-BA-T1-RO38-DGLS-ST-877	S.S. 316	Ø38
• S4-BA-T1-RO38-DGLS-ST-877	S.S. 304	Ø38
• S6-BA-T1-RO42-GLS-ST-877	S.S. 316	Ø42.4
• S4-BA-T1-RO42-GLS-ST-877	S.S. 304	Ø42.4
• S6-BA-T1-RO42-DGLS-ST-877	S.S. 316	Ø42.4
• S4-BA-T1-RO42-DGLS-ST-877	S.S. 304	Ø42.4
• S6-BA-T1-RO50-GLS-ST-877	S.S. 316	Ø50
• S4-BA-T1-RO50-GLS-ST-877	S.S. 304	Ø50
• S6-BA-T1-RO50-DGLS-ST-877	S.S. 316	Ø50
• S4-BA-T1-RO50-DGLS-ST-877	S.S. 304	Ø50

● Available in Satin Finish



ROUND BALUSTER WITH H.M.


Top Mounted Round Baluster With Horizontal Members



Horizontal Members Ø16/19



Railing Usage Light & Medium



Code	Grade	Size
• S6-BA-T1-RO38-163-ST-877	S.S. 316	Ø38
• S4-BA-T1-RO38-163-ST-877	S.S. 304	Ø38
• S6-BA-T1-RO42-163-ST-877	S.S. 316	Ø42.4
• S4-BA-T1-RO42-163-ST-877	S.S. 304	Ø42.4
• S6-BA-T1-RO50-163-ST-877	S.S. 316	Ø50
• S4-BA-T1-RO50-163-ST-877	S.S. 304	Ø50

All Sizes are Mentioned In MM

● Available in Satin Finish



SQUARE BALUSTER WITH GLASS


Top Mounted Square Baluster System With Glass



Glass Thickness 12 To 17.52



Railing Usage Medium



Code

Grade

Size

• S6-BA-T1-SQ4040-GLS-ST-877

S.S. 316

40X40

• S4-BA-T1-SQ4040-GLS-ST-877

S.S. 304

40X40

• S6-BA-T1-SQ4040-DGLS-ST-877

S.S. 316

40X40


• S4-BA-T1-SQ4040-DGLS-ST-877

S.S. 304

40X40

All Sizes are Mentioned In MM

● Available in Satin Finish



SQUARE BALUSTER WITH H.M.

Top Mounted Square Baluster With Horizontal Members



Horizontal Members Ø16/19



Railing Usage Medium


Code	Grade	Size
• S6-BA-T1-SQ4040-163-ST-877	S.S. 316	40X40
• S4-BA-T1-SQ4040-163-ST-877	S.S. 304	40X40

All Sizes are Mentioned In MM


● Available in Satin Finish



Top Mounted Flat Baluster System With Glass



● Available in Satin Finish



FLAT BALUSTER WITH H.M.

Top Mounted Flat Baluster With Horizontal Members



Horizontal Members Ø16/19



Railing Usage Medium

Code	Grade	Size
• S6-BA-T1-FLI050-163-ST-877	S.S. 316	10X50
• S4-BA-T1-FLI050-163-ST-877	S.S. 304	10X50
• S6-BA-T3-FLI050-163-ST-877	S.S. 316	10X50
• S4-BA-T3-FLI050-163-ST-877	S.S. 304	10X50

All Sizes are Mentioned In MM


● Available in Satin Finish



WALL MOUNTED BRACKET TYPE 1

Wall Mounted Bracket


 Railing Usage Medium



Code	Grade	Size
• S6-BR-W-SOL19-ST-8065	S.S. 316	Ø19
• S4-BR-W-SOL19-ST-8065	S.S. 304	Ø19

All Sizes are Mentioned In MM


● Available in Satin Finish



WALL MOUNTED BRACKET TYPE 2

Wall Mounted Bracket

 Railing Usage Medium



Code	Grade	Size
• S6-BR-W-CRO30-ST-90100	S.S. 316	Ø30
• S4-BR-W-CRO30-ST-90100	S.S. 304	Ø30

All Sizes are Mentioned In MM


 Available in Satin Finish



WALL MOUNTED BRACKET TYPE 3

Wall Mounted Bracket


 Railing Usage Medium




Code	Grade	Size
• S6-BR-W-SOL19-BP80-ST-8565	S.S. 316	Ø19
• S4-BR-W-SOL19-BP80-ST-8565	S.S. 304	Ø19

All Sizes are Mentioned In MM


 Available in Satin Finish




S.S. 316	S.S. 304	Size
• S6-CC-RO38-ST	S4-CC-RO38-ST	Ø38
• S6-CC-RO42-ST	S4-CC-RO42-ST	Ø42.4
• S6-CC-RO50-ST	S4-CC-RO50-ST	Ø50




S.S. 316	S.S. 304	Size
• S6-WF-RO38-ST	S4-WF-RO38-ST	Ø38
• S6-WF-RO42-ST	S4-WF-RO42-ST	Ø42.4
• S6-WF-RO50-ST	S4-WF-RO50-ST	Ø50



S.S. 316	S.S. 304	Size
• S6-PC-RO38-ST	S4-PC-RO38-ST	Ø38
• S6-PC-RO42-ST	S4-PC-RO42-ST	Ø42.4
• S6-PC-RO50-ST	S4-PC-RO50-ST	Ø50




S.S. 316	S.S. 304	Size
• S6-90B-RO38-ST	S4-90B-RO38-ST	Ø38
• S6-90B-RO42-ST	S4-90B-RO42-ST	Ø42.4
• S6-90B-RO50-ST	S4-90B-RO50-ST	Ø50




S.S. 316	S.S. 304	Size
• S6-MB-RO38-ST	S4-MB-RO38-ST	Ø38
• S6-MB-RO42-ST	S4-MB-RO42-ST	Ø42.4
• S6-MB-RO50-ST	S4-MB-RO50-ST	Ø50

All Sizes are Mentioned In MM


● Available in Satin Finish




S.S. 316	S.S. 304	Size
• S6-MB-RO16-ST	S4-MB-RO16-ST	Ø16
• S6-MB-RO19-ST	S4-MB-RO19-ST	Ø19




S.S. 316	S.S. 304	Size
• S6-SP-RO38-ST	S4-SP-RO38-ST	Ø38
• S6-SP-RO42-ST	S4-SP-RO42-ST	Ø42.4
• S6-SP-RO50-ST	S4-SP-RO50-ST	Ø50



S.S. 316	S.S. 304	Size
• S6-EC-RO38-ST	S4-EC-RO38-ST	Ø38
• S6-EC-RO42-ST	S4-EC-RO42-ST	Ø42.4
• S6-EC-RO50-ST	S4-EC-RO50-ST	Ø50



S.S. 316	S.S. 304	Size
• S6-EC-RO16-ST	S4-EC-RO16-ST	Ø16
• S6-EC-RO19-ST	S4-EC-RO19-ST	Ø19



S.S. 316	S.S. 304	Size
• S6-PC-RO16-ST	S4-PC-RO16-ST	Ø16
• S6-PC-RO19-ST	S4-PC-RO19-ST	Ø19

All Sizes are Mentioned In MM

● Available in Satin Finish



HILTI ANCHOR FASTENER

Wide Range of High Strength Anchor Fasteners

HRD C GI M 10×100/120/140/160



HST 4 M10X90/100/110



HRD H GI M 10×100/120/140/160



HSA M10X98/113



HUS 4 10×90/100/120



HSV M10X90/100



All Sizes are Mentioned In MM

Available in GI, SS 304 & SS 316



Handrails

Handrails with Various Sizes & Shapes with Accessories

Round Handrail Ø38/42.5/50 mm



Round Groove Handrail Ø50



Square Handrail 40X40/50X50



Square Groove 40x40/50x50



Available in ● Satin ● Gold & ● Copper Finish



All Sizes are Mentioned In MM

Available in GI, SS 304 & SS 316

Prestige Series

your premium choice





| SIDE SPACERS – PVD


Side Mounted Spacer system With Glass



Glass Thickness 12 To 17.52




Railing Usage Medium



Code	Grade	Size
• S6-SP-S-RO38-GLS-ST-PG-50	S.S. 316	Ø38
• S4-SP-S-RO38-GLS-ST-PG-50	S.S. 304	Ø38
• S6-SP-S-RO50-GLS-ST-PG-50	S.S. 316	Ø50
• S4-SP-S-RO50-GLS-ST-PG-50	S.S. 304	Ø50

All Sizes are Mentioned In MM

Available in ● Gold & ● Copper Finish



| *SIDE BRACKET – PVD*


| Side Bracket System with Glass



Glass Thickness 12 To 17.52



Railing Usage Medium



Code	Grade	Size
• S6-BR-S-C-ST-PG-180	S.S. 316	180
• S4-BR-S-C-ST-PG-180	S.S. 304	180

All Sizes are Mentioned In MM

Available in ● Gold & ● Copper Finish



TOP BRACKET – PVD


Top Bracket to Hold Glass



Glass Thickness 12 To 17.52



Railing Usage Medium



Code	Grade	Size
• S6-BR-G-GLS-ST-PG	S.S. 316	-
• S4-BR-G-GLS-ST-PG	S.S. 304	-

All Sizes are Mentioned In MM

Available in ● Gold & ● Copper Finish



| SPIGOTS – PVD


Top Mounted Flat Baluster With Glass – 10X50



Glass Thickness 12 & 12.89



Railing Usage Medium



Code	Grade	Height
• S6-SP-T-FL5035-GI2-ST-PG-325	S.S. 316	325
• S4-SP-T-FL5035-GI2-ST-PG-325	S.S. 304	325
• S6-SP-T-FL5035-GI2-ST-PG-210	S.S. 316	210
• S4-SP-T-FL5035-GI2-ST-PG-210	S.S. 304	210
• S6-SP-T-FL4040-GI2-ST-PG-125	S.S. 316	125
• S4-SP-T-FL4040-GI2-ST-PG-125	S.S. 304	125

All Sizes are Mentioned In MM

Available in ● Gold & ● Copper Finish



SHORT SQUARE BALUSTER – PVD


Top Mounted Short Square Baluster
System With Glass



Glass Thickness 12 To 17.52



Railing Usage Medium



Code	Grade	Height
• S6-SB-T-SQ4040-GLS-ST-PC-450	S.S. 316	450
• S4-SB-T-SQ4040-GLS-ST-PC-450	S.S. 304	450

All Sizes are Mentioned In MM

Available in ● Gold & ● Copper Finish



SHORT FLAT BALUSTER – PVD


Top Mounted Short Flat Baluster
System With Glass



Glass Thickness 12 To 17.52



Railing Usage Medium



Code	Grade	Height
• S6-SB-T-FL1050-GLS-ST-PG-450	S.S. 316	450
• S4-SB-T-FL1050-GLS-ST-PG-450	S.S. 304	450

All Sizes are Mentioned In MM

Available in ● Gold & ● Copper Finish

Aluminum Railing System





ALUMINIUM SPIGOT

Top Mounted 5 inch
Aluminium Spigot



Glass Thickness 12



Railing Usage Light



Code	Grade	Height	Width
• AL-SP-65-PC	Aluminum	127	-

All Sizes are Mentioned In MM

Available in ● Silver ● Black ● Wooden & ● Grey Finish

Corrosion Resistance

52

Look for **S&V®** Logo on each product.



ALUMINIUM SPIGOT

Top Mounted 9 inch
Aluminium Spigot



Glass Thickness 12



Railing Usage Light

Code	Grade	Height	Width
• AL-SP-66-PC	Aluminum	228	-

All Sizes are Mentioned In MM

Available in ● Silver ● Black ● Wooden & ● Grey Finish

Corrosion Resistance

53

Look for **S&V®** Logo on each product.



CONTINUE CHANNEL SYSTEM


Top Mounted Oval Shape Hollow
Continue Aluminum Channel



Glass Thickness 12



Railing Usage Light



Code	Grade	Height	Width
• AL-HCH-81-G12	Aluminum	71	56

All Sizes are Mentioned In MM

Available in ● Silver ● Black ● Wooden & ● Grey Finish

Corrosion Resistance

54

Look for **S&V®** Logo on each product.



BLOCK SYSTEM


Top Mounted 95x84mm Block Only



Glass Thickness 12 & 12.89



Railing Usage Light



Code

Grade

Height

Width

• AL-BTB-85-G12

Aluminum

95

84

All Sizes are Mentioned In MM

Available in ● Silver ● Black ● Wooden & ● Grey Finish

Corrosion Resistance

55

Look for **S&V®** Logo on each product.



CONTINUE CHANNEL SYSTEM

Top Mounted Continue solid
Aluminum Channel 80 x 37mm




Glass Thickness 12 To 13.52



Railing Usage Medium

Code	Grade	Height	Width
• AL-SCH-92-G12	Aluminum	80	37



All Sizes are Mentioned In MM

Available in ● Silver ● Black ● Wooden & ● Grey Finish



CONTINUE CHANNEL SYSTEM


Top Mounted Continue solid
Aluminum Channel 117 x 45mm



Glass Thickness 12 To 17.52



Railing Usage Heavy



All Sizes are Mentioned In MM

Code	Grade	Height	Width
• AL-SCH-95-G12	Aluminum	117	45

Available in ● Silver ● Black ● Wooden & ● Grey Finish



CONTINUE CHANNEL SYSTEM


Top Mounted Continue Hollow
Aluminum Channel 125 x 70mm



Glass Thickness 12 To 17.52



Railing Usage Heavy



All Sizes are Mentioned In MM

Available in ● Silver ● Black ● Wooden & ● Grey Finish

Corrosion Resistance

58

Look for **S&V®** Logo on each product.



CONTINUE CHANNEL SYSTEM


Top Mounted Continue Hollow
Aluminum Channel 100 x 55mm



Glass Thickness 12



Railing Usage Medium



Code	Grade	Height	Width
• AL-HCH-104-G12-PC	Aluminum	100	55

All Sizes are Mentioned In MM

Available in ● Silver ● Black ● Wooden & ● Grey Finish

Corrosion Resistance

59

Look for **S&V®** Logo on each product.



CONTINUE CHANNEL SYSTEM


Top Mounted Continue – Led Hollow
Aluminum Channel 90 x 50mm



Glass Thickness 12



Railing Usage Light



Code	Grade	Height	Width
• AL-HCH-105-PC	Aluminum	90	50

All Sizes are Mentioned In MM

Available in ● Silver ● Black ● Wooden & ● Grey Finish

Corrosion Resistance

60

Look for **S&V®** Logo on each product.



CONTINUE CHANNEL SYSTEM

Top Mounted Continue Hollow
Aluminum Channel 58 x 32mm



Glass Thickness 12



Railing Usage Light



Code	Grade	Height	Width
• AL-SCH-64-G12-PC	Aluminum	58	32

All Sizes are Mentioned In MM

Available in ● Silver ● Black ● Wooden & ● Grey Finish

Corrosion Resistance

61

Look for **S&V®** Logo on each product.



CONTINUE TRIANGLE CHANNEL SYSTEM

Top Mounted Continue Hollow
Aluminum Channel 68 x 66mm



Glass Thickness 12



Railing Usage Light

Code	Grade	Height	Width
• AL-HCH-82-G12-PC	Aluminum	68	66

All Sizes are Mentioned In MM

Available in ● Silver ● Black ● Wooden & ● Grey Finish

Corrosion Resistance

62

Look for **S&V®** Logo on each product.



CONTINUE CHANNEL SYSTEM

Top Mounted Continue Hollow
Aluminum Channel 68 x 66mm



Glass Thickness 12



Railing Usage Light

Code	Grade	Height	Width
• AL-HCH-84-G12-PC	Aluminum	68	66

All Sizes are Mentioned In MM

Available in ● Silver ● Black ● Wooden & ● Grey Finish

Corrosion Resistance

63

Look for **S&V®** Logo on each product.



CONTINUE CHANNEL SYSTEM

Top Mounted Continue Hollow
Aluminum Channel 60 x 45mm



Glass Thickness 12



Railing Usage Light

Code	Grade	Height	Width
• AL-HCH-83-G12-PC	Aluminum	60	45

All Sizes are Mentioned In MM

Available in ● Silver ● Black ● Wooden & ● Grey Finish

Corrosion Resistance

64

Look for **S&V®** Logo on each product.



V BRACKET BLOCK SYSTEM

Top Mounted 115 x 60mm
Block Only



Glass Thickness 12



Railing Usage Light

Code	Grade	Height	Width
• AL-V-62-G12-PC	Aluminum	115	60

All Sizes are Mentioned In MM

Available in ● Silver ● Black ● Wooden & ● Grey Finish

Corrosion Resistance

65

Look for **S&V®** Logo on each product.



DIAMOND SHAPED BLOCK SYSTEM

Top Mounted 110 x 50mm
Block Only



Glass Thickness 12



Railing Usage Light



Code	Grade	Height	Width
• AL-DC-61-G12-PC	Aluminum	110	50

All Sizes are Mentioned In MM

Available in ● Silver ● Black ● Wooden & ● Grey Finish

Corrosion Resistance

66

Look for **S&V[®]** Logo on each product.



TOWER BRACKET BLOCK SYSTEM

Top Mounted 100 x 60mm
Block Only



Glass Thickness 12



Railing Usage Light



Code	Grade	Height	Width
• AL-TB-61-G12-PC	Aluminum	100	60

All Sizes are Mentioned In MM


Available in ● Silver ● Black ● Wooden & ● Grey Finish

Corrosion Resistance


67

Look for **S&V**[®] Logo on each product.


Round Handrail - 40mm & 50mm




Square Handrail - 40X40mm




LED Handrail - 71X36mm



Square Handrail - 50X50mm



Tapper Handrail - 80X35mm



All Sizes are Mentioned In MM


Available in  Silver  Black  Wooden &  Grey Finish

Corrosion Resistance


68

Look for  S&V Logo on each product.


U Channel - 25X25mm




Rectangle Handrail - 64X44mm




Hexagonal Handrail - 38X38mm



Hexagonal Handrail - 45X45mm



LED Tapper Handrail - 80X35mm



All Sizes are Mentioned In MM

Available in  Silver  Black  Wooden &  Grey Finish

Corrosion Resistance

69

Look for  S&V Logo on each product.

Modern Customized Railings



Modern Customized Railings



Modern Customized Railings



Modern Customized Railings





S&V RAIL

Rajpath Avenue, 150 Feet Ring Road, Above Axis Bank,
Dr. Ambedkar Chowk, Rajkot - 360004, Gujarat, India.

Mo. +91 90999 11718/08 | Email: connect@svrailing.com | www.svrailing.com

Your One-stop Solutions for Architectural Railing, Partitions & Screens